

AN ENDLESS FLOW OF
STEAMING GOODNESS



S3 Tech – Taking safety to the next level

Ever since inception five decades ago, providing safe and high-quality products has been one of Polycab's core objectives. The company continues to lead the exploration into new technologies, to enhance customer safety and satisfaction. A stellar example of one such customer-centric R&D effort is the S3 Tech.

S3 Tech: Real-time, year round protection



1 Shields against Fire and Shock

Polycab water heaters are adequately armed to deal with electrical and fire hazards. While fusible plug shuts off the current if it exceeds the permissible limit, circuit breaker cuts off the power supply as soon as current leakage is detected. They also come with a fire-retardant cable which resists combustion and restricts propagation of flames in case of fire.



2 Shields against Corrosion


An advanced coating solution protects all heating components from getting corroded. Further a unique polymer protective coating on the surface of the inner tank resists corrosion from hard water, thus greatly enhancing the heater's operational life.




3 Shield against energy wastage

A super-efficient heavy duty heating element heats the water in a matter of minutes while the advanced thermostatic device cuts off power at the right temperature, and the PUF insulation in the water heater body maintains water temperature with minimum heat loss thus ensuring maximum energy savings.

Instant Water Heaters



Storage Water Heaters





Give your body the tender loving care it deserves, with Polycarb water heaters. Combining innovations in hydrotherapy with traditional insights, these hot water marvels turn a daily routine into a wellness ritual, in the comfort of your home.

Watch the dirt and fatigue wash away from your body. Feel the hot water gently massage your shoulders, neck, and back; soothing your body and mind in a matter of minutes. Before you know it, you will be fully charged and ready.

Indulgence shouldn't wait for a season or the time. Just turn on the shower.



Instant Water Heaters

NEW

White - Sand Yellow



Ivory - Deep Red



White - Deep Red



Ivory-chocolate



EMERALD

- Multiple Colour Panel
- LED Power Indicator
- Flame Retardant ABS Outer Body
- Long life powerful and highly efficient heating element
- Rated pressure upto 60 N/cm²
- Compact & Sleek Design
- IS: 8978
CML: 7800058317
- Multiple safety system
- All Safety Devices

2 YEARS PRODUCT WARRANTY
5 YEARS INNER TANK WARRANTY

DESCRIPTION	EMERALD INSTANT WATER HEATERS			
CAPACITY (LTR)	1	1	3	3
kW	3	4.5	3	4.5
CLASS	1	1	1	1
MOUNTING	VERTICAL	VERTICAL	VERTICAL	VERTICAL
TANK	SS	SS	SS	SS
OUTER BODY	FR ABS	FR ABS	FR ABS	FR ABS
THERMOSTAT	STEM TYPE	STEM TYPE	STEM TYPE	STEM TYPE
THERMAL CUT OUT	STEM TYPE	STEM TYPE	STEM TYPE	STEM TYPE
COLOUR	MULTIPLE	MULTIPLE	MULTIPLE	MULTIPLE
RATED PRESSURE	60 N/cm ²	60 N/cm ²	60 N/cm ²	60 N/cm ²
HEATING ELEMENT NICKEL PLATED	Cu WITH NICKEL PLATED	Cu WITH NICKEL PLATED	Cu WITH NICKEL PLATED	Cu WITH NICKEL PLATED
RATED INPUT CURRENT IN AMPS	16	25	16	25

The colour of actual product may vary from the image





IS : 8978

 CM / L : 9739811

Available in: 1/3 L. 3 KW/4.5 KW



DESCRIPTION	ETERNA INSTANT WATER HEATERS			
CAPACITY (LTR)	1	1	3	3
kW	3	4.5	3	4.5
CLASS	1	1	1	1
MOUNTING	VERTICAL	VERTICAL	VERTICAL	VERTICAL
TANK	SS	SS	SS	SS
OUTER BODY	ABS	ABS	ABS	ABS
THERMOSTAT	STEM TYPE	STEM TYPE	STEM TYPE	STEM TYPE
THERMAL CUT OUT	STEM TYPE	STEM TYPE	STEM TYPE	STEM TYPE
COLOUR	WHITE	WHITE	WHITE	WHITE
HEATING ELEMENT NICKEL PLATED	Cu WITH NICKEL PLATED	Cu WITH NICKEL PLATED	Cu WITH NICKEL PLATED	Cu WITH NICKEL PLATED
RATED INPUT CURRENT IN AMPS	16	25	16	25




ELANZA

220-240 Volts, 50Hz
Single phase AC



Available in: 3 L. 3 KW/4.5 KW



DESCRIPTION	ELANZA INSTANT WATER HEATERS	
CAPACITY (LTR)	3	3
kW	3	4.5
CLASS	1	1
MOUNTING	VERTICAL	VERTICAL
TANK	SS	SS
OUTER BODY	PP	PP
THERMOSTAT	STEM TYPE	STEM TYPE
THERMAL CUT OUT	STEM TYPE	STEM TYPE
COLOUR	WHITE	WHITE
RATED PRESSURE	60 N/cm ²	60 N/cm ²
HEATING ELEMENT	Cu WITH NICKEL PLATED	Cu WITH NICKEL PLATED
RATED INPUT CURRENT IN AMPS	16	25





Storage Water Heaters











STORAGE WATER HEATERS

NEW




EMERALD

-  Retains heat longer
-  Ultra Diamond Glasslined Coated Tank-rust and corrosion free
-  Heavy Duty Heating Element
-  Multifunction valve acts as a pressure release and drain
-  8 BAR 116 PSI 0.8 Mpa
8 bar working pressure compatible for high rise building
-  Magnesium anode rod enhances the life of the tank
-  Temperature Control Knob
-  High Precision Capillary Thermostat

2 YEARS PRODUCT WARRANTY
5 YEARS INNER TANK WARRANTY

DESCRIPTION	EMERALD STORAGE WATER HEATERS		
CAPACITY (LTR)	10	15	25
kW	2	2	2
CLASS	1	1	1
MOUNTING	VERTICAL	VERTICAL	VERTICAL
TANK	GLASSLINED	GLASSLINED	GLASSLINED
APPROX. WEIGHT OF PRODUCT WITH WATER (KGS)	18	24.3	37.4
RATED WATER PRESSURE	0.8 MPA	0.8 MPA	0.8 MPA
MAX REHEATING TIME (MINUTES)	35	40	60
HOT WATER OUTPUT °C (MIN.)	45°C	45°C	45°C



STORAGE WATER HEATERS














ELANZA




ELANZA HL



 ENERGYSAVING PUF Insulation Retains heat longer	 Ultra Diamond Glasslined Coated Tank-rust and corrosion free	 Heavy Duty Heating Element	 Multifunction valve acts as a pressure release and drain	 8 BAR 116 PSI 0.8 Mpa 8 bar working pressure compatible for high rise building
 Magnesium anode rod enhances the life of the tank	 Hard Water Resistant	 15 YEAR CM / L : 9100109206	 Temperature Control Knob	 High Precision Capillary Thermostat

 2 YEARS PRODUCT WARRANTY	 7 YEARS INNER TANK WARRANTY
--	---

MODEL NO.	CAPACITY (LTRS.)	INPUT IN WATTS	REHEATING °C TIME (MAX.)	HOT WATER OUTPUT °C (MAX.)	MIXING FACTOR (KWH) (MAX.)	STANDING LOSS	BEE STAR RATING
6 LTR 2 KW Elanza	6	2 kW	20 Min	45°C	40%	0.320	4 Star
10 LTR 2 KW Elanza	10	2 kW	50 Min	45°C	40%	0.401	4 Star
15 LTR 2 KW Elanza	15	2 kW	70 Min	45°C	40%	0.461	4 Star
25 LTR 2 KW Elanza	25	2 kW	80 Min	45°C	40%	0.562	4 Star
10 LTR 2 KW Elanza HL	10	2 kW	50 Min	45°C	40%	0.485	2 Star
15 LTR 2 KW Elanza HL	15	2 kW	70 Min	45°C	40%	0.558	2 Star
25 LTR 2 KW Elanza HL	25	2 kW	80 Min	45°C	40%	0.680	2 Star



STORAGE WATER HEATERS



ELANZA DLX

- ENERGYSAVING PUF Insulation**
Retains heat longer
- Ultra Diamond Glaslined Coated Tank**-rust and corrosion free
- Heavy Duty Heating Element**
- Multifunction valve** acts as a pressure release and drain
- 8 BAR 116 PSI 0.8 Mpa**
8 bar working pressure compatible for high rise building
- Magnesium anode rod** enhances the life of the tank
- Hard Water Resistant**
- IS 2082 CM / L : 9100109206**
- Temperature Control Knob**
- High Precision Capillary Thermostat**

2 YEARS PRODUCT WARRANTY
7 YEARS INNER TANK WARRANTY


MODEL NO.	CAPACITY (LTRS.)	INPUT IN WATTS	REHEATING °C TIME (MAX.)	HOT WATER OUTPUT °C (MAX.)	MIXING FACTOR (KWH) (MAX.)	STANDING LOSS	BEE STAR RATING
6 LTR 2 KW Elanza DLX	6	2 kW	20 Min	45° C	40%	0.320	4 Star
10 LTR 2 KW Elanza DLX	10	2 kW	50 Min	45° C	40%	0.401	4 Star
15 LTR 2 KW Elanza DLX	15	2 kW	70 Min	45° C	40%	0.461	4 Star
25 LTR 2 KW Elanza DLX	25	2 kW	80 Min	45° C	40%	0.562	4 Star



STORAGE WATER HEATERS



Available in: 6 /10/15/25L



TECHNICAL DETAILS	ETERNA ELECTRIC STORAGE WATER HEATERS			
CAPACITY (LITRES)	6 LTR	10 LTR	15 LTR	25 LTR
HOT WATER OUTPUT TEMP. (MIN.)	45° C	45° C	45° C	45° C
RE-HEATING TIME IN MINUTES (MAX.)	30	45	65	80
MIXING FACTOR % (MAX.)	40	40	40	40
INPUT kW	2	2	2	2
RATED PRESSURE	60N/cm ²	60N/cm ²	60N/cm ²	60N/cm ²
BEE STAR RATING	4 STAR	4 STAR	4 STAR	4 STAR
INNER TANK MATERIAL	S STEEL	S STEEL	S STEEL	S STEEL



Toll Free No :
1800 267 0008

Our Friendly Customer Care Team is
Always Available to Assist You

Email: customercare@polycab.com | Working Days: Monday to Saturday
Timings: 9:00 AM to 6:00 PM*

Corporate Office:

POLYCAB INDIA LIMITED (formerly known as 'Polycab Wires Limited')
Polycab House, 771, Mogul Lane, Mahim (W), Mumbai - 400 016, Maharashtra (India).
Ph.: +91-22-2432 7070/4, 6735 1400, Email: enquiry@polycab.com, www.polycab.com

Follow us on:

Terms & Conditions:

Pictures and details of the product(s) in this catalogue are merely illustrative. Actual products may vary in colour, design, description and colour combination etc. Due care has been taken that the information provided herein is accurate but is subject to human error. The information is updated from time to time. Polycab India Limited reserves its rights to amend data/details without prior notice.

Regional & Branch Offices:

EAST

BHUBANESWAR : A-167, Unit No. 102, First Floor, The Metropolis, Near Sparsh Hospital, Saheed Nagar, Bhubaneswar - 751007, Odisha. Tel. 0674 2549960

GUWAHATI : 4th Floor, Mayur Garden, Near ABC Bus Stop, G.S. Road, Guwahati - 781005, Assam, India.

KOLKATA : Unit No. 1108, 11th Floor, Godrej Genesis, Plot-XI, Block EP & GP Salt Lake, Sector - V, Kolkata - 700091.

PATNA : L-302, 303, Dumraon Palace, 3rd Floor, Fraser Road, Near Dakbangla Crossing, Patna - 800001.

RANCHI : Panchwati Tower Unit No. 3, Gr. Floor, Harmu Road, Ranchi - 834001. Tel. 0651 2284040

NORTH

MOHALI : Unit No.B-424, Bestech Business Towers, Sector 66, Mohali, Punjab - 160055. Tel. 9811588257

LUCKNOW : Shalimar Square, Office No - 09, 126/31, B. N. Road, Lalbagh, Hazratganj, Lucknow - 226001. Tel. 0522 4022324

NOIDA : B9, 1st Floor, Sector - 3, Near Bajaj Bhawan, Noida - 201301. Tel. 0120 4848550

DEHRADUN : 57, GDG Tower, Adjoining Hotel Calista, Patel Nagar, Dehradun, Uttrakhand - 248001. Tel. 0135 2728758

JAIPUR : 501 & 502, 5th Floor, K.J City Tower, Plot No. E-2, Ashok Marg, Near Ahinsha Circle, C-Scheme, Jaipur, Rajasthan - 302001. Tel. 0141 2216097

WEST

AHMEDABAD : 102-1st Floor, Hrishikesh, Nr. IDBI Bank Cross Road, Gulbai Tekra, Ahmedabad - 380006. Tel. 079 26301655

INDORE : B-12, New Siyaganj, Patthar Godam Road, Indore - 452003. Tel. 0731 4033357

WEST

PUNE : Off No. 36, Sangam Project Phase 2, Near RTO Pune, Near Sangam Bridge, Pune - 411001. Tel. 020 26058277

RAIPUR : 506, 5th Floor, Wallfort Ozone, Near Fafadih Chowk, Raipur - 492001. Tel. 0771 2582925, 4221686

NAGPUR : Shree Ganesh Enclave, Plot No. 12, 1st Floor, Near ST Stand, Ganeshpeth, Nagpur - 440018.

SOUTH

KOCHI : 34/138 C, NH By-Pass Road, Edappally, Kochi - 682024. Tel. 0484 2803285

BENGALURU : B-78, No. 18, 4th Main Road, KSSIDC Industrial Estate, 6th Block, Rajajinagar, Bangalore - 560010. Tel. 080 23102172 / 8354

HUBLI : Shop No. 99 to 119, 4th floor, Satellite Complex, Koppikar Road, Hubli - 580020. Tel. 0836 4259866

COIMBATORE : Kaanchan, Gr. Floor, No. 9, North Huzur Road, Coimbatore - 641018. Tel. 0422 2305339

CHENNAI : Gee Gee Universal, 8th Floor, No. 2, Mc Nichols Road, 3rd Lane, Near Metha Hospital, Chetpet, Chennai - 600 031. Tel. 044 42817272

SECUNDERABAD : 208-209, 2nd Floor, Bhuvana Towers, S. D. Road, Secunderabad - 500003. Tel. 040 66326228

VIJAYAWADA : Plot No. 77, House No. 40-5/7-6, 3rd Cross, Municipal Employees Colony, Vijayawada - 520010. Tel. 0866 6601666

VISAKHAPATNAM : 3rd Floor, Krishna Enclave, Seethammapeta Main Road, Visakhapatnam - 530016.

MADURAI : Unit No.1, Part - D,A.R. Plaza / K.R.V Arcade, 2nd Floor, Door No. 16 & 17, North Veli Street, Madurai - 625001 Tel : 0452 - 4219553