



**POLYCAB INDIA LIMITED**

**LDC LP No. 09/2022-23 Dtd : 19th January 2023**

**List of Products Covered in Our LDC LP**

**Coaxial Cables**

**Lan Cables**

**CCTV Cables**

**Telephone Switchboard Cables**

**Submersible Cables**

**Project Wires (200-300 Mtrs.)**

**Single Core Flexible Cables**

**Multicore Flexible Cables**

**Single Core XLPE Unarmoured/Armoured Cables**

**Solar Cables**

**BMS Cables**

**Braided Cables**

**Steel Braided Cables**

**Speaker Cables**

**Welding Cables**

**Aluminium Service Wires**

**Festoon Cables**

**Uninyvin Cables**

**POLYCAB INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES**

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	3080	9395	
RG - 6	3880	11835	114000
RG - 11	8545	26060	173000
RG-6 CCS	2130	6500	94000
RG-11 CCS	4600	14030	142000

**POLYCAB LAN (COMPUTER) CABLES**

Size	UOM	Rate in Rs.
CAT 5e UTP FR -PVC	305 MTRS.	13900
CAT 6 UTP PVC-FR ( Without Separator)	305 MTRS.	14600
CAT 6 UTP PVC-FR ( With Separator )	305 MTRS.	14840
CAT 6 FTP FR PVC	305 MTRS.	19835
CAT 6A UTP PVC-FR	305 MTRS.	18970
CAT 6A FTP PVC-FR	305 MTRS.	22840
CAT6 UTP- Armoured / Flexible Armoured	1000 MTRS.	123000
CAT6 FTP- Armoured / Flexible Armoured	1000 MTRS.	137500
CAT6 A UTP- Armoured / Flexible Armoured	1000 MTRS.	137500
CAT6 A FTP- Armoured / Flexible Armoured	1000 MTRS.	152000

**POLYCAB CCTV CABLES**

Size	UOM	Rate in Rs.
CCTV 3+1	90 MTRS.	4480
CCTV 4+1	90 MTRS.	4900
CCTV 3+1	180 MTRS.	8960
CCTV 4+1	180 MTRS.	9800
CCTV 4+1 Armoured	1000 MTRS.	162000



**POLYCAB INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES**

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	955	1355	860	1220	20
2 Pair	1710	2465	1540	2220	20
3 Pair	2575	3500	2315	3150	16
4 Pair	3225	4625	2900	4160	12
5 Pair	4195	5790	3775	5210	8
10 Pair		11550		10395	1
20 Pair		22825		20540	1
50 Pair		57100			1
100 Pair		112900			1

**POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES**

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	10800	10800	10600
2.5	17100	17100	16800
4	24900	24900	24500
6	36800	36800	36100
10	63800	63800	
16	98500	98500	
25	157500	157500	
35	216100	216100	



**POLYCAB INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL(MULTISTRAND) CABLES  
FLAME RETARDANT LEAD FREE (FRLF) / FLAME RETARDANT LOW SMOKE (FRLSH) / HEAT  
RESISTANT FLAME RETARDANT LOW SMOKE HALOGEN - LEAD FREE CONFORMING TO IS-  
694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE  
GRADE 1100 VOLTS**

**POLYCAB PVC INSULATED SINGLE CORE  
UNSHEATHED INDUSTRIAL(MULTISTRAND)  
CABLES – HALOGEN FREE FLAME RETARDANT  
(HFFR) WITH BRIGHT ANNEALED  
ELECTROLYTIC BARE COPPER CONDUCTOR FOR  
VOLTAGE GRADE 1100 VOLTS**

Size (sq.mm.)	FRLF	FRLS-H	GREEN WIRES HR-FRLS-H-LF	HFFR	Coils Per Box
	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	
0.75	4685	4830	4900	5080	10
1	6150	6330	6420	6600	8
1.5	9045	9315	9445	9725	6
2.5	14680	15130	15350	15785	4
4	14870	15325	15535	15995	4
6	22245	22910	23250	23920	3
10	39565	40730	41330	42495	1
16	62100	63940	64870	66730	1

**Notes**

1. The above rates are exclusive of GST which shall be charged extra.
2. This Price List is subject to change without notice.
3. As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes and tables.



# POLYCAB INDIA LIMITED

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**Polycab FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1095	24
0.75	24/.2	8	1580	24
1	32/.2	13	2060	20
1.5	30/.25	17	2920	16
2.5	50/.25	24	4830	12
4	56/.3	30	7440	8
6	84/.3	38	11000	6
10	80/.4	52	19100	1
16	126/.4	70	30800	1
25	196/.4	88	48000	1
35	276/.4	110	66800	1
50	396/.4	145	94500	1
70	354/.5	215	132700	1
95	484/.5	260	181000	1
120	608/.5	305	235400	1
150	750/.5	355	291800	1
185	925/.5	415	360300	1
240	1210/.5	500	469400	1
300	1527/.5	585	585400	1
400	2036/.5	695	779400	1
500			1032700	1
630			1302200	1

**Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010**

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3280	4360	5460	5	7125	8385
4480	5925	7490	5	9800	11750
5490	7415	9580	5	12500	15100
7270	10100	13400	5	17600	21000
11700	16000	21500	4	27900	33500
17500	24800	32700		44900	54100
25600	36500	47600		65600	81000
43500	62300	81600		111500	136300
69100	99400	129800		172900	
111400	158900	209200		281900	
153700	221200	289200		389900	
220100	312300	411700		566800	
306600	435100	579100		781800	



**POLYCAB INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	9355	10900	13500	15800
0.75	24/.2	8	13200	15400	19100	22600
1	32/.2	13	16800	19500	24000	28500
1.5	30/.25	17	23500	27500	33300	39800
2.5	50/.25	24	38600	43900	55000	64700
4	56/.3	30	61400	71200		

  

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	18600	20800	24000	30600
0.75	24/.2	8	26300	29700	34400	43900
1	32/.2	13	33100	37600	44500	56300
1.5	30/.25	17	46200	52800	62400	78500
2.5	50/.25	24	75800	86600	102500	128300

**Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables**

Nominal Area mm <sup>2</sup>	No/Dia of Strands No/mm	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
			Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	16300	22200
10	80/0.4	75	27400	37300
16	126/0.4	103	40500	47300
25	196/0.4	126	64800	72200
35	276/0.4	152	88700	97500
50	396/0.4	189	123800	135700
70	354/0.5	240	170300	186800
95	484/0.5	297	231400	240900
120	608/0.5	346	292400	304300
150	750/0.5	390	365200	380400
185	925/0.5	460	445900	459300
240	1210/0.5	552	579500	604900
300	1527/0.5	640	722500	760600
400	2036/0.5	753	963800	1008600



**POLYCAB INDIA LIMITED**

**LDC LP No. 09/2022-23 Dtd : 19th January 2023**

**Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

**Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Price in Rs./100m)	
			Single Core	Packing
0.5	16/.2	5	1135	24
0.75	24/.2	8	1640	24
1	32/.2	13	2130	20
1.5	30/.25	17	3020	16
2.5	50/.25	24	5005	12
4	56/.3	30	7700	8
6	84/.3	38	11400	6
10	80/.4	52	19500	1
16	126/.4	70	31900	1
25	196/.4	88	49800	1
35	276/.4	110	69000	1
50	396/.4	145	97800	1
70	354/.5	215	137300	1
95	484/.5	260	187300	1
120	608/.5	305	243800	1
150	750/.5	355	301900	1
185	925/.5	415	372900	1
240	1210/.5	500	485900	1
300	1527/.5	585	605900	1
400	2036/.5	695	806600	1
500			1069000	1
630			1347800	1

(Price in Rs./100m)					
2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
3535	4690	5880	5	7655	9015
4810	6385	8055	5	10500	12700
5905	7975	10300	5	13650	16100
7640	10500	14200	5	18500	22100
12200	16900	22800	4	29200	35400
18400	26000	34100		47300	56700
26800	38200	50000		68900	85200
45600	65300	85700		117100	142900
72600	102300	138600		181400	
117000	166800	219600		296000	
161400	232400	303700		409300	
231100	328000	432300		595400	
321900	457000	608000		820800	
	636900	853300			
	813100	1071300			
	1027300	1354400			
	1236000	1639700			
	1629000	2154900			
	2025700	2617800			
	2700700	3492300			

**POLYCAB****POLYCAB INDIA LIMITED****LDC LP No. 09/2022-23 Dtd : 19th January 2023****Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts**

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	10000	11700	14500	17000
0.75	24/.2	8	14300	16600	20400	24000
1	32/.2	13	18100	21100	25800	30500
1.5	30/.25	17	24700	28900	35100	41600
2.5	50/.25	24	40500	46200	58000	67800
4	56/.3	30	64500	74900		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	19700	22400	26000	33000
0.75	24/.2	8	28200	32000	37000	47100
1	32/.2	13	35600	40500	47800	60600
1.5	30/.25	17	48500	55300	65400	82300
2.5	50/.25	24	79600	91000	107600	134600





**POLYCAP INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**POLYCAP SOLAR CABLES**

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618		Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables	
Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.
2.5	6450	2.5	5970
4	9215	4	8760
6	13200	6	12450
10	23900		
16	37600		
25	59700		
35	83100		
50	118100		
70	164900		
95	225900		
120	285500		

**POLYCAP BUILDING MANAGEMENT SYSTEM CABLE (BMS)**

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	5635	7225	8375	10900	16800
3	7405	9240	11250	15000	23700
4	8665	11600	14200	19000	29700
5	10400	13900	17300	22800	36100
6	11800	15900	20300	27700	43400
7	13000	18000	22300	31000	51300
8	14700	20300	25400	35300	57200
10	17300	24000	31000	42700	69300
12	20600	28900	36300	51300	82800
14	23800	34300	42900	60000	
16	26200	37900	47300	66200	
19	30400	41600	57700	77700	
24	38200	54300	69900	99700	

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 4% Extra Charges for Drum Packing



**POLYCAB INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**POLYCAB INDUSTRIAL BRAIDED CABLES**

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	9200	11200	12700	15500	23700	32300	45400				
3	10100	13900	17300	21400	31500	49700	69300	105100	158900	299500	393000
4	13300	17300	21100	26300	39800	60700	84500	141400	228100	361000	499600
5	15900	20800	24000	32000	53400						
6	18000	23700	27700	37500	59900						
7	19300	27200	31500	41600	67800						
8	22500	32300	35800	47900	70800						
10	28400	35500	47700	60100	78900						
12	32300	40100	51100	67800	92400						
14	35500	47700	59900	81200	111200						
16	38100	55400	67300	89300	130800						
19	45400	65800	79400	111200	168900						
24	54800	73300	99600	136300	211700						



**POLYCAB INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**POLYCAB MULTICORE STEEL BRAIDED CABLES**

Flex Bare Copper Conductor,PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	9800	11700	13200	16400	23800	33500	46600
3	11800	14500	16600	21500	31800	47300	64900
4	14100	17700	20600	26900	40300	58900	84400
5	16400	20900	25100	32800	48900		
6	18800	24400	28900	37900	57900		
7	20400	26700	32000	42500	64900		
8	23200	30200	36200	48800	74700		
10	28200	37100	44700	59500	92300		
12	32100	43100	51600	69400	108000		
14	36600	48900	58900	80200	124200		
16	41000	55000	66900	90400	141300		
19	47000	63800	78200	106100	165400		
24	58700	79700	97800	133000	208000		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	76000	113800	172500	235100	334200	458300	613000
3	107100	161200	247800	338700	481700	665400	890600
4	139700	211200	326000	447000	635400	878000	1176600

Note : 3% Extra Charges for Drum Packing

**POLYCAB INDUSTRIAL SPEAKER WIRES**

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	2405	23/38	1720	0.5 Sq.mm	2560	1.5 Sq.mm	6660
40/36	3760	40/38	2640	0.75 Sq.mm	3675	2 Sq.mm	8880
70/36	5185	70/38	4320	1 Sq.mm	4840	2.5 Sq.mm	11825

\*\* Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

**POLYCAB INDUSTRIAL WELDING CABLES**

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	40500
25	160	796/0.2	60500
35	230	1115/0.2	84800
50	400	703/0.3	121400
70	600	999/0.3	169100
95	700	1346/0.3	228700
120	1100	1699/0.3	283100



**POLYCAB INDIA LIMITED**

LDC LP No. 09/2022-23 Dtd : 19th January 2023

**POLYCAB ALUMINIUM WIRES & CABLES**

**POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS 694**

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	1020
2.5	1610
4	2295
6	3155
10	5260
16	7710
25	11900
35	16400
50	18600
70	24300
95	43100

**POLYCAB PVC INSULATED AND SHEATHED TWIN CORE\_FLAT & THREE CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694**

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	5610
2 Core	4	7515
2 Core	6	9945
2 Core	10	14500
2 Core	16	21000
3 Core	2.5	8280
3 Core	4	10900
3 Core	6	12750
3 Core	10	23700
3 Core	16	31500
4 Core	2.5	10200
4 Core	4	14200
4 Core	6	20200
4 Core	10	29700
4 Core	16	39400



# POLYCAB INDIA LIMITED

LDC LP No. 09/2022-23 Dtd : 19th January 2023

## FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	70	87	108	144	235	360
4	91	118	143	195	309	482
5	127	166	211	272	431	646
6	152	203	252	323	517	781
7	174	229	291	373	603	905
8	202	263	330	429	692	1037
9	232	309	385	492	797	1183
10	258	339	425	545	882	1320
12	302	404	507	647	1051	1576
14	366	476	593	772	1237	1850
16	413	544	686	876	1418	2119
18	457	601	769	982	1573	2355
24	622	818	1040	1190	2120	3187



## POLYCAB INDIA LIMITED

LDC LP No. 09/2022-23 Dtd : 19th January 2023

### UNINYVIN CABLES

Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	24.80
20	0.556	32.00
18	0.966	47.30
16	1.17	56.10
14	2.05	86.30
12	3.22	125.00
10	5.33	177.00
8	8.76	275.00
6	13.30	406.00
4	21.50	644.00
2	33.30	985.00
1	40.70	1192.00
0	53.00	1549.00
00	68.30	1972.00
000	84.20	2442.00
0000	109	3141.00