



PRICE LIST

Ref No. RRKL/LP/BCISI/01-2/23
w.e.f. 16th January 2023

THE ONLY INDIAN
WIRE BRAND
TRUSTED BY

90+

COUNTRIES
GLOBALLY



RR KÄBEL
WIRES & CABLES

**AKALMAND BANO,
SAHI CHUNO.**

AKALMAND BANO, SAHI CHUNO.



BUILDING WIRES

RR KÄBEL
WIRES & CABLES

INDIA'S ONLY WIRE WITH
REACH • RoHS
CE • CPR Compliant



HIGHER
INSULATION
RESISTANCE

MORE THAN
101%
CONDUCTIVITY

100%
ELECTROLYTIC
COPPER

SUPEREX FR FR PVC Insulated Single Core Cables



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, FR PVC Insulated Industrial Cables in voltage grade upto and including 1100 Volts, as per IS 694 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
0.75	24/0.2	1225	24
1.0	14/0.3	1669	20
1.5	22/0.3	2433	12
2.5	36/0.3	3885	12
4.0	56/0.3	5664	8
6.0	84/0.3	8437	4

UNILAY HR FR HR FR PVC Insulated Single Core Cables



RR Kabel makes Single Core unsheathed Multistrand flexible High Conductivity plain annealed copper, HR FR PVC Insulated Industrial Cables in voltage grade upto and including 1100 Volts, as per IS 694 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
1.0	37/0.19	1751	20
1.5	37/0.23	2541	12
2.5	61/0.23	4068	12
4.0	61/0.29	6211	8
6.0	91/0.29	9233	8

FIREX LSOH HALOGEN FREE FLAME RETARDANT 90°C, CROSSLINKED



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, Cross linked Halogen Free Flame Retardant (HFFR) 90° C Insulated Industrial Cables in voltage grade upto and including 1100 volts, as per IS 17048 (HSN Code: 8544)

Size (Sq.mm)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
1.00	14/0.3	2019	20
1.50	22/0.3	2842	12
2.50	36/0.3	4491	12
4.00	56/0.3	6590	8
6.00	84/0.3	9545	4

* FIREX LSOH - Insulation Conforming to HFI XL 90 as per IS 17048

RR KABEL FR HSF / FR-LSH / LSOH-FR



RR Kabel makes Single Core unsheathed Multistrand High Conductivity plain annealed Copper, FR PVC/FR-LSH PVC / Thermoplastic Halogen Free Flame Retardant (HFFR) 70°C Insulated Industrial Cables in voltage grade upto and including 1100 Volts (HSN Code: 8544)

RATE / 200 MTR					
Size (Sq.mm)	Configuration	AMPS	RR KABEL FR HSF FR PVC INSULATION As per IS 694	RR KABEL FR-LSH FR-LSH PVC INSULATION As Per IS 694	RR KABEL LSOH-FR Thermoplastic Halogen Free Flame Retardant (HFFR) 70° C Insulation As Per IS 17048
0.75	24/0.2	8	2786	2881	3260
1.0	32/0.2	13	3637	3764	4109
1.5	30/0.25	17	5257	5439	5780
2.5	50/0.25	24	8561	8863	9330
4.0	56/0.3	30	13099	13558	14307
6.0	84/0.3	38	19478	20113	21219

*RR KABEL LSOH-FR: Insulation conforming to HFI TP 70 as per IS 17048

LSOH-FR



RR Kabel makes Multistrand High Conductivity Plain Copper Thermoplastic Halogen Free Flame Retardant (HFFR) 70o C Insulated Single Core Unsheathed Industrial Cables in Voltage Grade Upto and Including 1100 Volts, As Per IS IS 17048 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	AMPS	Unit	Rate	No. of Coils packed in an Outer Box
1.0	32/0.2	13	180 Mtr	3698	12
1.5	30/0.25	17	180 Mtr	5202	8
2.5	50/0.25	24	180 Mtr	8397	6
4.0	56/0.25	30	180 Mtr	12876	4



COMMUNICATION CABLES

RR KÄBEL
WIRES & CABLES

- RATNA CO-X
- RATNA LAN
- RATNA COM
- CCTV CAMERA CABLE
- SPEAKER CABLE

RATNA CO-X



RR Kabel makes Electrolytic grade solid annealed bare copper conductor gas injected physical polyethylene foam insulated, wrapped with Aluminium Mylar tape and Al alloy wire braided, Jelly flooded and PVC Jacketing in Black Colour, Co-Axial Industrial Cables. (HSN Code : 8544)

RG 59 F		RG 6 F		RG 11 F	
90 Mtr.	305 Mtr.	90 Mtr.	305 Mtr.	90 Mtr.	305 Mtr.
1902	6445	2431	8238	5416	18355

RATNA LAN



RR Kabel makes Solid bare copper conductor 4 Pair unshielded twisted pair (UTP) Industrial cables for Computer Lan Network with Grey colour & FR PVC Jacket. (HSN Code : 8544)

CAT 5e		CAT 6	
100 Mtr.	305 Mtr.	100 Mtr.	305 Mtr.
3064	9342	4097	12495

RATNA COM



RR Kabel makes Solid Electrolytic annealed bare copper conductor Industrial Switchboard & Telephone Cables with high density polyethylene insulation, paired, polyester taped, Nylon Rip Cord and Grey colour sheathed with FR PVC, generally conform to "ITD specification S/WS 113 C" (HSN Code : 8544) (Rate/90 Mtr Coil)

Dia	1 Pair	2 Pair	3 Pair	4 Pair	5 Pair	10 Pair	20 Pair
0.5 mm	872	1534	2262	2964	3694	7056	13394

CCTV CAMERA CABLES



RR Kabel makes Annealed Tinned copper conductor, PE Insulated, ATC Braided, Polyester tape screened, PVC outer sheathed Industrial CCTV Camera Cables.(HSN CODE : 8544)

Size	Packing	Rate Per Coil	No. of Coils packed in an Outer Box
3 + 1	90 Mtr.	3583	3
4 + 1	90 Mtr.	4016	3

SPEAKER CABLES



RR Kabel makes Multistrand Annealed bare copper conductor, PVC Insulated Industrial Speaker wires. (HSN CODE : 8544)

Size	Packing	Non Transparent Insulation (Rate/Coil)	Transparent Insulation (Rate/Coil)	No. of Coils packed in an Outer Box
2C x 0.50	90 Mtr.	1746	1798	10
2C x 0.75	90 Mtr.	2488	2563	10
2C x 1.0	90 Mtr.	3139	3233	8
2C x 1.5	90 Mtr.	4527	4663	8
2C x 2.5	90 Mtr.	7211	7427	8



INDUSTRIAL CABLES

RR KÄBEL
WIRES & CABLES

- FLEXIBLE SINGLE CORE CABLE
- FLEXIBLE MULTICORE CABLES
- SHIELDED CABLE
- BRAIDED CABLE

RR KABEL FR HSF / FR-LSH / LSOH-FR



RR Kabel makes single core unsheathed Multistrand High Conductivity plain annealed Copper, FR PVC/FR-LSH PVC/ Thermoplastic Halogen free Flame Retardant (HFFR) 70° Insulated Industrial Cables in voltage grade upto and including 1100 Volts (HSN Code : 8544)

RATE / 100 MTR					
Size (Sq.mm)	Configuration	AMPS	RR KABEL FR HSF FR PVC INSULATION As Per IS 694	RR KABEL FR-LSH FR-LSH PVC INSULATION As Per IS 694	RR KABEL LSOH-FR <small>Thermoplastic Halogen Free Flame Retardant (HFFR) 70° C Insulation As Per IS 17048</small>
10.0	140/0.3	52	17185	17785	18880
16.0	126/0.4	70	27203	28152	29735
25.0	196/0.4	88	44587	46371	49937
35.0	276/0.4	112	62369	64863	69852
50.0	396/0.4	146	88942	92499	99614
70.0	360/0.5	216	126046	131088	141172
95.0	480/0.5	262	169563	176344	189909
120.0	608/0.5	310	219399	228177	245729
150.0	750/0.5	355	271975	282856	304612
185.0	931/0.5	415	330773	344004	370465
240.0	1200/0.5	500	435160	452566	487378
300.0	1500/0.5	550	543255	564986	608445
400.0 *	2013/0.5	590	738208	767737	826793
500.0 *	2562/0.5	660	956893	995168	1071719
630.0 *	3416/0.5	725	1271990	1322869	1424630

The item marked * are non stock items, refer to marketing dept. for delivery schedule, MOQ, packing etc.

** RR Kabel LSOH-FR: Insulation conforming to HFI TP 70 as per IS 17048

RR KABEL FR HSF SINGLE CORE



Multistrand bright electrolytic annealed bare copper conductor, FR PVC Insulated Unsheathed Single core round flexible Industrial Power Cables for working voltages upto and including 1100 Volts as per IS 694 (HSN CODE : 8544)

Size (Sq.mm)	Configuration	AMPS	Rate Per 100 Mtr
0.5	16/0.2	5	994
0.75	24/0.2	8	1393
1.0	32/0.2	13	1818
1.5	30/0.25	17	2629
2.5	50/0.25	24	4281
4.0	56/0.3	30	6549
6.0	84/0.3	38	9739

RATNA FLEX MULTICORE CABLES



RR Kabel makes Multistrand bright electrolytic annealed bare copper conductor, PVC Insulated & PVC sheathed multicore round flexible Industrial Cables for working voltages upto and including 1100 Volts, as per IS 694 (HSN CODE : 8544)

Rate per 100 meter											
Size (Sq.mm)	CONFIG.	AMPS	2 CORE	3 CORE	4 CORE	Size (Sq.mm)	CONFIG.	AMPS	2 CORE	3 CORE	4 CORE
0.5	16/0.2	5	2941	3871	4878	25.0	196/0.4	88	100254	142127	187254
0.75	24/0.2	8	3863	5204	6629	35.0	276/0.4	112	-	198476	263013
1.0	32/0.2	13	4746	6429	8231	50.0	396/0.4	146	-	283324	368967
1.5	30/0.25	17	6359	8789	11444	70.0	360/0.5	216	-	398614	525492
2.5	50/0.25	24	10069	14029	18247	95.0	480/0.5	262	-	537722	705068
4.0	56/0.3	30	15388	21586	28277	120.0	608/0.5	310	-	678846	899063
6.0	84/0.3	38	22185	31646	41639	150.0	750/0.5	355	-	861702	1130207
10.0	140/0.3	52	39011	55895	72836	185.0	931/0.5	415	-	1058849	1374990
16.0	126/0.4	70	60945	86073	113413	240.0	1200/0.5	500	-	1376124	1859565
						300.0	1500/0.5	550	-	1716559	2322767

CONTROL CABLES



RR Kabel makes Multistrand bright electrolytic annealed bare copper conductor, PVC Insulated & PVC sheathed multicore round flexible Industrial Control Cables (JZ-500), Voltages Grade 300/500 V. (HSN CODE : 8544)

Rate per 100 meter												
Size (Sq.mm)	CONFIG.	AMPS	5 CORE *	6 CORE *	7 CORE *	8 CORE *	10 CORE *	12 CORE *	14 CORE *	16 CORE *	19 CORE *	24 CORE *
0.5	16/0.2	5	6380	7407	8254	9800	12159	14282	16544	18558	21897	28029
0.75	24/0.2	8	8705	10415	11673	13998	17114	20358	23643	26970	32517	40730
1.0	32/0.2	13	11059	12963	14760	17580	21909	25749	30160	33815	41691	51310
1.5	30/0.25	17	15465	18361	21004	24633	30843	36404	42386	47741	56487	72376
2.5	50/0.25	24	24650	29886	34241	39709	50031	58919	69115	79002	93959	117949
4.0	56/0.3	30	38282	46606	53845	63411	79253	93882	109338	124617	147216	188089
6.0	84/0.3	38	57049	69035	80456	93077	118930	140973	163414	186123	219629	280228
10.0	140/0.3	52	97468	-	-	-	-	-	-	-	-	-
16.0	126/0.4	70	153586	-	-	-	-	-	-	-	-	-

Loading factor for Different Insulation / Sheath * -

FR Insulation	FR Sheath	FR-LSH / HR Insulation	FR-LSH / HR Sheath	LSOH Insulation	LSZH Sheath
5%	5%	10%	10%	35%	25%

The item marked * are non stock items, refer to marketing dept. for delivery schedule, MOQ, packing etc.

SUBMERSIBLE FLAT CABLES

RR Kabel makes 3 Core PVC Insulated and sheathed Industrial Flat cables for Submersible Motor, working voltages upto and including 1100 Volts, as per IS 694



Size (Sq.mm)	Configuration	Rate 100 mtr
1.5	22/0.3	9347
2.5	36/0.3	14573
4.0	56/0.3	21365
6.0	84/0.3	30982
10.0	140/0.3	53948
16.0	126/0.4	83667
25.0	196/0.4	131410

* For XLPE Insulated Submersible Flat Cables (Cu/XLPE/PVC), contact us for pricing and availability. MOQ will be applicable.

ONLY THE BEST SUBMERSIBLE CABLES CAN WITHSTAND THE HARSHTEST CONDITIONS.

- PVC & XLPE Insulation
- Electrolytic Grade
Annealed Copper
- Better Conductivity
- CE, REACH &
RoHS Compliant



AKALMAND BANO, SAHI CHUNO.

SHIELDED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC Insulated, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire and Outer PVC Sheathed Industrial Instrumentation (Shielded) Cables, Voltage Grade 300/500V, as per BS EN 50288-7

SIZE	Size in Sq.mm / Rate Per 100 Meter (in INR)					MOQ (KM)
	0.50	0.75	1.00	1.50	2.50	
2 Core	5211	6323	7363	9419	13852	3
3 Core	6523	8179	9720	12542	19253	3
4 Core	8159	10355	12434	16414	24829	3
5 Core	9376	12161	14768	19786	30836	3
6 Core	10957	14280	17575	23057	-	3
7 Core	12154	16036	19633	26249	40404	3
8 Core	13775	18257	22229	30072	47958	2
9 Core	15231	-	-	-	-	2
10 Core	16891	22458	27667	37956	59478	2
12 Core	19568	26259	32803	44337	70513	2
14 Core	22281	29796	37756	51251	82644	1
16 Core	25270	34609	42671	58100	94323	1
18 Core	28059	38178	47630	64933	106434	1
20 Core	31030	41866	52832	74365	118077	1
22 Core	34167	46213	57819	-	-	1
25 Core	38324	52013	65816	-	-	1
27 Core	41064	55833	70053	-	-	1

Note : Please contact to HO for Technical Data Sheet.

SHIELDED ARMoured CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor PVC / XLPE Insulated, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire, PVC Inner Sheathed, GI Wire / Strip Armour And Outer PVC Sheathed Industrial Instrumentation (Shielded Armoured) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

SIZE	Size in Sq.mm / Rate Per 100 Meter (in INR)					MOQ (KM)
	0.50	0.75	1.00	1.50	2.50	
2 Core	10094	11708	13236	15886	21297	5
3 Core	12037	14130	16460	19713	27586	5
4 Core	13770	16498	19436	23664	34862	3
5 Core	15797	19265	22941	28044	40952	3
6 Core	17637	21827	26036	32983	-	3
7 Core	18848	23419	27871	36018	54003	3
8 Core	21456	26393	31138	40714	60586	3
9 Core	22943	-	-	-	-	3
10 Core	24643	30987	37935	50161	74535	3
12 Core	27863	35161	43284	56700	87514	3
14 Core	30896	39484	50330	65311	97569	3
16 Core	34534	46603	54370	73491	110256	3
18 Core	38927	47719	60781	81632	122668	3
20 Core	43632	52752	66596	92793	135854	2
22 Core	44606	57707	72146	-	-	2
24 Core	-	-	77503	-	-	2
25 Core	48848	63651	79920	-	-	2
27 Core	51336	67210	88688	-	-	2

Note : Please contact to HO for Technical Data Sheet.

BRAIDED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC Insulated, Annealed Tinned Copper Braided with Optimum coverage and Outer PVC sheathed Industrial Braided cables, Voltage Grade 300/500V.

Size in Sq.mm / Rate Per 100 Meter (in INR)						
SIZE	0.25	0.50	0.75	1.00	1.50	2.50
2 Core	6883	7928	8606	9740	12422	18180
3 Core	7406	8844	10689	12305	16056	23869
4 Core	8905	10817	13245	15576	20086	30613
5 Core	11151	12633	15857	18567	24546	38075
6 Core	13137	13953	16777	21064	27562	-
7 Core	13870	15147	19342	23246	31106	48388
8 Core	14862	17084	21653	26475	35933	-
9 Core	-	-	-	-	40201	-
10 Core	17755	21704	27516	32786	44660	-
12 Core	19673	23607	31560	38360	52020	80924
14 Core	-	27042	36018	44375	60351	-
16 Core	-	30442	40605	49949	67951	-
18 Core	27688	33593	45511	55875	75905	-

Size in Sq.mm / Rate Per 100 Meter (in INR)				
SIZE	4.0	6.0	10.0	16.0
2 Core	26247	36171	-	-
3 Core	36031	50118	-	-
4 Core	45363	63915	107300	173583

Note : Please contact HO for Technical Data Sheet.

Note : Minimum Order Quantity (MOQ)

Size - upto 0.25 x 8C - 5 KM, upto 0.25 x 8C to 18C and 0.50 to 1.50 x 7C - 3 KM,
0.50 x 8C to 4.0 x 4C - 2 KM, 0.50 x 22C to 1.00 x 27C - 2 KM.

PAIR SHIELDED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire and Outer PVC Sheathed Industrial Instrumentation (Pair Shielded) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
1	6309	7728	10	9574	11027	15868	5
2	10335	12561	5	16026	19909	29837	3
3	13377	16887	3	21291	28080	42437	3
4	15559	21718	3	27332	35721	55438	3
5	18962	26477	3	33884	43293	66310	3
6	22127	31099	3	40346	51299	78832	2
8	28406	39988	3	50681	67850	103781	2
10	34963	48578	3	62381	83054	128655	2
12	41603	58055	3	74046	98848	153478	2
14	-	-	-	-	113389	-	1
16	54033	75915	2	98102	131495	204813	1
20	67106	94647	2	121449	163195	254654	1
24	79606	112601	2	144725	194804	304426	1

RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Individual pair and Overall Aluminium Mylar Tape Shielded with ATC Drain Wire and Outer PVC Sheathed Industrial Instrumentation (Pair Shielded) Cables as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
2	13413	15615	5	19125	23703	33812	2
3	17415	21663	5	26855	33126	47909	2
4	22240	27135	3	32629	43124	62708	2
5	26271	32919	3	40916	52342	76527	1
6	31216	39617	2	47971	62134	91067	1
8	41731	51693	2	63395	81664	120116	1
10	51284	63729	1	78307	101120	149084	1
12	60817	75730	1	93202	117126	177999	1
16	80292	97634	1	119293	156002	230916	1
20	99396	121058	1	149511	193951	287448	1
24	118481	144484	1	178575	231880	343962	1
25	-	-	-	185844	-	-	1

Note: The MOQ is given above, please contact HO for Technical Data Sheet.

PAIR SHIELDED ARMOURED CABLES



RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Overall Aluminium Mylar Tape Shielded with ATC Drain Wire, PVC Inner Sheathed, GI Wire/Strip Armour and Outer PVC Sheathed Industrial Instrumentation (Overall Pair Shielded Armoured) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
1	10193	11708	10	13362	15886	21297	5
2	15651	18612	5	21783	26601	37137	3
3	18354	22046	3	26380	34341	51221	3
4	22195	27317	3	32707	44333	61526	3
5	25376	32267	3	39360	50438	74313	3
6	28903	37111	3	48008	58867	87257	2
8	37789	46321	3	56416	76415	112852	2
10	41769	55114	3	68173	92103	138210	2
12	48801	64844	3	79782	108080	163365	2
14	-	-	-	-	123363	-	1
16	61592	82745	2	103493	141300	214993	1
20	75017	101515	2	126343	173859	264955	1
24	87688	119328	2	148995	205303	314665	1

RR Kabel makes Flexible / Stranded Bare Copper Conductor, PVC / XLPE Insulated, Twisted Pairs, Individual Pair and Overall Aluminium Mylar Tape Shielded with ATC Drain Wire, PVC Inner Sheathed, GI Wire / Strip Armour and Outer PVC Sheathed Industrial Instrumentation (Individual Pair and Overall Shielded Armoured) Cables, Voltage Grade 300/500V, as per BS EN 50288-7.

Size in Sq.mm / Rate Per 100 Meter (in INR)							
Number of Pair	0.50	0.75	MOQ (KM)	1.00	1.50	2.50	MOQ (KM)
2	18431	21543	5	24750	29690	39563	2
3	23027	26626	5	31000	38879	50374	2
4	27569	33160	3	39134	48990	64545	2
5	33416	41042	3	47644	56335	79584	1
6	38819	45190	2	53117	66003	93664	1
8	46759	57590	2	68699	85120	121581	1
10	56429	69823	1	83590	104052	149280	1
12	66003	81964	1	98370	122855	176828	1
16	85341	106617	1	127251	161291	233310	1
20	104238	130642	1	157804	198713	288262	1
24	123023	154574	1	187013	236004	343048	1
25	-	-	-	194302	-	-	1

Note: The MOQ is given above, please contact HO for Technical Data Sheet.

TERMS & CONDITIONS:

GST : The above prices are exclusive of GST.

Packing : Order should be in Standard packing.

Freight : Value upto Rs. 2,00,000/- on 'TO-PAY' basis & above on 'PAID' basis

Note : This is Revised Price List, hence all previous Price List & Discount will not be considered.

**As per the international practice which is also adopted by BIS, for all cables with ISI mark the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guidelines and are as per market convention, it may vary within the prescribed limit of IS:8130, with related classes and tables.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.



WORLD OF EXCELLENCE



As a USD 1.25+ billion conglomerate, we are one of the largest, diversified & most prominent brands in the Indian electrical industry, with a noteworthy presence in over 90+ countries across the world. We offer a multi faceted range of quality products through our 10 successfully operating companies, 43 marketing offices and 15 manufacturing facilities.

At RR Global, we continue to innovate to ensure only the finest products reach our customers.



Ram Ratna House, Utopia City, P. B. Marg, Worli, Mumbai - 400 013.

T: +91 - 22 - 2494 9009 / 2492 4144 • **F:** +91 - 22 - 2491 2586 • **E:** mumbai.rrkabel@rrglobal.com

Alembic Business Park (W), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003

T : +91-265-6830 800 • **E:** vadodara.rrkabel@rrglobal.com

R R KABEL LIMITED

Regd. Office : Ram Ratna House, Utopia City, P. B. Marg, Worli, Mumbai - 400 013.

Ahmedabad : 079-4900 0100, **Bengaluru :** 080-4125 0079 / 4090 2221, **Bhubaneswar :** 09776 060 012,

Chennai : 044-2829 2329 / 2429, **Coimbatore :** 09025 168 457, **Ernakulam :** 0484-2378 783,

Guwahati : 07227 004 919, **Indore :** 0731-3515 577, **Jaipur :** 0141-2741 417, **Jalandhar :** 0181-2910 637,

Kolkata : 033-6607 1233, **Lucknow :** 0522-3516 188 / 89, **Madurai :** 0452-4370 340,

New Delhi : 0124-6549 100, **Pune :** 08956 811 100, **Raipur :** 0771-2971 518, **Secunderabad :** 040-27804 098,

Silvassa : 0260-2641 332 / 333, **Surat :** 09376 507 543, **Trichy :** 08939 830 338.

www.rrkabel.com • www.rrglobal.com

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

RoHS = Restriction of Hazardous Substances | **CE =** Conformance European

ISI = Indian Standard Institution